

Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

• Trade name: BSS CLEANER TI 500ML*12 EN

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Cleaning agent/ Cleaner

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

BSS Industrial Boss court, 7 Barton Close, Grove Park, Leicester, LE19 1SJ +44 (0) 116 242 7800 enquiries@bssgroup.com

·Further information obtainable from:

·1.4 Emergency telephone number: +44 (0)116 245 5500 (8:30-5pm)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: acetone butanone

> (Contd. on page 2) GB-EN



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

Trade name: BSS CLEANER TI 500ML*12 EN

	(Contd. of page 1)
• Hazard statem	
	mmable liquid and vapour.
	erious eye irritation. se drowsiness or dizziness.
· Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing vapours.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water.
P370+P378	In case of fire: Use to extinguish: Water haze, Alcohol resistant foam, Fire- extinguishing powder, Carbon dioxide.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with national regulations.
· Additional info	
	ated exposure may cause skin dryness or cracking.
Hazard pictogr	ackages where the contents do not exceed 125 ml
nazaru pictogi	ans
GHS02 GHS	07
· Signal word Data	anger
· Hazard-determ	nining components of labelling:
acetone	
butanone	
 Hazard statem 	
	e drowsiness or dizziness.
 Precautionary 	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
P261	sources. No smoking.
	Avoid breathing vapours. 353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
F 303+F 301+F 3	with water.
P370+P378	In case of fire: Use to extinguish: Water haze, Alcohol resistant foam, Fire-
10/01/0/0	extinguishing powder, Carbon dioxide.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with national regulations.
2.3 Other haza	
· Results of PB1	Γ and vPvB assessment
• PBT: Not applic	cable.
• vPvB: Not appl	
	GB-EN

(Contd. on page 3)



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

Trade name: BSS CLEANER TI 500ML*12 EN

(Contd. of page 2)

3.2 Mixtures Description: Cleansing agent		
Dangerous components:		
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49- XXXX	acetone Flam. Liq. 2, H225;	50-100%
CAS: 78-93-3 EINECS: 201-159-0 Index number: 606-002-00-3 Reg.nr.: 01-2119457290-43	butanone Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	10-25%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

• After skin contact: Immediately rinse with water.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Water haze

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

· For safety reasons unsuitable extinguishing agents: Water with full jet

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

(Contd. on page 4)

^{3/11}



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

Trade name: BSS CLEANER TI 500ML*12 EN

(Contd. of page 3)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

67-64-1 acetone

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

78-93-3 butanone

WEL Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm Sk, BMGV

(Contd. on page 5)

GB-EN



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

Trade name: BSS CLEANER TI 500ML*12 EN

DNELs		(Contd. of page
67-64-1 ac	etone	
	Consumer, oral, longterm exposition	62 mg/kg bw/day
	Consumer, dermal, longterm exposition	62 mg/kg bw/day
	Consumer, inhalation, longterm exposition	
78-93-3 bu		
Oral	Consumer, oral, longterm exposition	31 mg/kg bw/day
	Consumer, dermal, longterm exposition	412 mg/kg bw/day
Inhalative	Consumer, inhalation, longterm exposition	
PNECs		
67-64-1 ac	etone	
Fresh wate		
Marine wat	er 1.06 mg/l	
Soil	29.5 mg/kg	
78-93-3 bu	tanone	
Fresh wate	r 55.8 mg/l	
Marine wat	er 55.8 mg/l	
Soil	22.5 mg/kg	
Ingredient	s with biological limit values:	
78-93-3 bu	tanone	
Sar	dium: urine mpling time: post shift ameter: butan-2-one	
Additional	information: The lists valid during the m	aking were used as basis.
Personal p General pr The usual p Keep away Immediatel Wash hand Do not inha Avoid conta Avoid conta Respirator Use suitabl Recommen Filter AX Filter A Protection Solvent res	istant gloves	hing insufficient ventilation.
The alove	material has to be impermeable and	
The glove preparation	material has to be impermeable and	(Contd. on page



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

Trade name: BSS CLEANER TI 500ML*12 EN

(Contd. of page 5) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
- Butyl rubber, BR

Recommended thickness of the material: > 0,7 mm

- · Penetration time of glove material
- For the mixture of chemicals mentioned below the penetration time has to be at least 120 minutes (Permeation according to EN 374 Part 3: Level 4).
- · Eye protection:



Tightly sealed goggles

Goggles recommended during refilling **Body protection:** Solvent resistant protective clothing

9.1 Information on basic physical General Information	l and chemical properties
Appearance: Form: Colour: Odour: Odour threshold:	Fluid According to product specification Characteristic Not determined.
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling	Undetermined. range: 55.8-56.6 °C
Flash point:	-18 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	465 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation o explosive air/vapour mixtures are possible.
Explosion limits: Lower: Upper:	1.8 Vol % 13 Vol %
Vapour pressure at 20 °C:	233 hPa
Density at 20 °C: Relative density Vapour density	0.793 g/cm ³ Not determined. Not determined.

(Contd. on page 7) GB-EN

GB-EN -



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

Trade name: BSS CLEANER TI 500ML*12 EN

Not determined.
Not miscible or difficult to mix.
Not determined.
).34 mPas Not determined.
100.0 %
0.0 %
All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

67-64-1 acetone

- Oral LD50 5800 mg/kg (rat)
- Dermal LD50 20000 mg/kg (rabbit)

78-93-3 butanone

- Oral LD50 3300 mg/kg (rat)
- Dermal LD50 5000 mg/kg (rabbit)
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

(Contd. on page 8)



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

(Contd. of page 7)

Trade name: BSS CLEANER TI 500ML*12 EN

• Sensitisation Not applicable.

• Repeated dose toxicity Not applicable.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Not applicable.

- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR/ADN, IMDG, IATA

UN1993

(Contd. on page 9)



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

Trade name: BSS CLEANER TI 500ML*12 EN

ADR/ADN 1993 FLAMMABLE LIQUID, N.O.S. (ACETON ETHYL ETTONE), special provision 640D IMDG, IATA FLAMMABLE LIQUID, N.O.S. (ACETON ETHYL ETHYL KETONE), special provision 640D IMDG, IATA FLAMMABLE LIQUID, N.O.S. (ACETON ETHYL ETHYL KETONE)) 14.3 Transport hazard class(es) ADR/ADN Imit Section S (F1) Flammable liquids. Imit Section 3 IMDG, IATA S (F1) Flammable liquids. Imit Section 3 IMDG, IATA S (F1) Flammable liquids. Imit Section 3 IMDG, IATA S (F1) Flammable liquids. Imit Section S (F1) F		(Contd. of pag
ADR/ADN Class 3 (F1) Flammable liquids. Label 3 IMDG, IATA Class 3 Flammable liquids. Class 3 Flammable liquids. Label 3 14.4 Packing group ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): 33 EMS Number: F-E.S-E Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 2 Transport category 2 Tunnel restriction code D/E	· 14.2 UN proper shipping name · ADR/ADN · IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ACETON ETHYL METHYL KETONE (METHYL ETH)
Class 3 (F1) Flammable liquids. Label 3 IMDG, IATA Class 3 Flammable liquids. Label 3 14.4 Packing group ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 5 ml	· 14.3 Transport hazard class(es)	
Label 3 IMDG, IATA IMDG, IATA IMDG, IATA Image: Class 3 Flammable liquids. Label 3 14.4 Packing group ADR/ADN, IMDG, IATA ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 L Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 5 mil Maximum net quantity per outer packaging: 5 mil 5 mil Transport category 2 Tunnel restriction code D/E	· ADR/ADN	
Label 3 IMDG, IATA IMDG, IATA IMDG, IATA Image: Class 3 Flammable liquids. Label 3 14.4 Packing group ADR/ADN, IMDG, IATA ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 L Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 5 ml Transport category 2 Tunnel restriction code D/E		
IMDG, IATA View Class 3 Flammable liquids. Label 3 14.4 Packing group ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5 ml Transport category 2 Tunnel restriction code D/E		
Class 3 Flammable liquids. Label 3 14.4 Packing group 3 ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L Quantity limitations On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5 mil mil Transport category 2 Tunnel restriction code D/E		
ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 33 EMS Number: F-E,S-E Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Transport category 2 Transport category 2 Transport category 2	· Class · Label	•
Marine pollutant:No14.6 Special precautions for userWarning: Flammable liquids.Hazard identification number (Kemler code): 33EMS Number:F-E,S-EStowage CategoryB14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information: Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LADR/ADN1L Excepted quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5 ml D/ETransport category2 D/E	· 14.4 Packing group · ADR/ADN, IMDG, IATA	II
Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B 14.7 Transport in bulk according to Annex II Not applicable. of Marpol and the IBC Code Not applicable. Transport/Additional information: On passenger aircraft/rail: 5 L Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L On cargo aircraft only: 60 L ADR/ADN 1L Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 5 ml Transport category 2 Tunnel restriction code D/E	[·] 14.5 Environmental hazards: [·] Marine pollutant:	No
EMS Number:F-E,S-EStowage CategoryB14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information: Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LADR/ADN Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 30 n Maximum net quantity per outer packaging: 5 mlTransport category Tunnel restriction code2 D/E	14.6 Special precautions for user	
Stowage CategoryB14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information: Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LADR/ADN Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5 mlTransport category Tunnel restriction code2 D/E	 Hazard identification number (Kemler code): EMS Number: 	
of Marpol and the IBC CodeNot applicable.Transport/Additional information: Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LADR/ADN Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5 mlTransport category Tunnel restriction code2 D/E	Stowage Category	
Transport/Additional information: On passenger aircraft/rail: 5 L Quantity limitations On passenger aircraft/rail: 5 L ADR/ADN IL Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5 ml Transport category 2 Tunnel restriction code D/E	• 14.7 Transport in bulk according to Annex II	Netewaliasta
Quantity limitationsOn passenger aircraft/rail: 5 L On cargo aircraft only: 60 LADR/ADN1LLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5 mlTransport category2 D/E	•	
Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5 ml Transport category 2 Tunnel restriction code D/E		
Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5 ml Transport category 2 Tunnel restriction code D/E	· ADR/ADN	
Transport category2Tunnel restriction codeD/E	 Limited quantities (LQ) Excepted quantities (EQ) 	Code: E2 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 5
	Transport category	
(Contd. on page	I unnel restriction code	



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

Trade name: BSS CLEANER TI 500ML*12 EN

	(Contd. of page 9
·IMDG	
 Limited quantities (LQ) 	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Remarks:	Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S., SPECIAL PROVISION 640D (ACETONE, ETHYL METHYL KETONE (METHYL ETHYL KETONE)), 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

Classification according to Regulation (EC) No 1272/2008

Flammable liquids	Bridging principles
Specific target organ toxicity (single exposure)	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 11)

GB-EN



Printing date 19.06.2021

Version number 54

Revision: 19.06.2021

Trade name: BSS CLEANER TI 500ML*12 EN

(Contd. of page 10) · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * * Data compared to the previous version altered. GB-EN