



AWAITING  
PRODUCT IMAGES

**BOSS™**

**Bronze Screwed Pipe  
Fittings**

**Data Sheet**

#### **General Description**

A range of bronze sand cast or continuous cast pipe fittings with screwed ends, for use with threaded pipes. Applications include water, other liquids, gas and sanitary.

Multiple codes in range, please refer below.

#### **Specification:**

- Constructed from leaded gunmetal conforming to BS1400 LG2-C (CC491K)
- Shotblasted, sand casted external finish/continuous cast finish.
- Threads conform to BS1256 design, having BS21 parallel internal and taper external pipe threads.
- Fittings conform to BS143 & 1256: 1968/2000

## Pressure-Temperature Rating:

Size	Max. Permissible Working Pressure (bar) @ Temperature (°C)	
inches	-20 to 120 °C	120 to 225 °C
¼ " to 2 "	16	10
Above 2 "	10	6

## Fitting Product Codes:

BSS Code	Fitting Size	Fitting Type
24013300	2½" BSP	Socket
24012202	2½" BSP	Barrel Nipple
24012213	3" BSP	Barrel Nipple
24038045	¾" BSP	Countersunk Plug
24038056	½" BSP	Countersunk Plug
24038067	¾" BSP	Countersunk Plug
24038078	1" BSP	Countersunk Plug
24038089	1¼" BSP	Countersunk Plug
22020001	¼" BSP	Hexagon Union
22020012	¾" BSP	Hexagon Union
22020023	½" BSP	Hexagon Union
22020034	¾" BSP	Hexagon Union
22020045	1" BSP	Hexagon Union
22020056	1½" BSP	Hexagon Union

BSS Code	Fitting Size	Fitting Type
24014003	2½" x 2" BSP	Reducing Bush
24036277	3" x 3" BSP	Reducing Bush
24036288	3" x 2-½" BSP	Reducing Bush